



Safety Data Sheet

Skyspring Nanomaterials, Inc. www.ssnano.com

Revision Date: 12/01/2015

1 Identification of substance:

Product details:

Product name: Boron powder

Product numbers: 0410DX, 0400BZ, 0401BZ, 0402BZ, 0403BZ, 0404BZ and 0405BZ

Manufacturer/Supplier:

SkySpring Nanomaterials, Inc.
2935 Westhollow Dr., Houston, TX 77082, USA
Phone: 281-870-1700
Fax: 281-870-8002
Email: sales@ssnano.com

2 Composition/Data on components:

Chemical characterization:

Description:

Boron (CAS# 7440-42-8), 100%

Formula: B

RTECS Number: ED7350000

3 Hazards identification

EMERGENCY OVERVIEW

Flammable (USA) Highly Flammable (EU).

Harmful if swallowed.

Target organ(s): Central nervous system. Kidneys.

HMIS RATING

HEALTH: 1*

FLAMMABILITY: 2

REACTIVITY: 1

NFPA RATING

HEALTH: 1

FLAMMABILITY: 2

REACTIVITY: 1

*additional chronic hazards present.

For additional information on toxicity, please refer to

Section 11.

4 First aid measures

ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

DERMAL EXPOSURE

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

EYE EXPOSURE

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

5 Fire fighting measures

FLAMMABLE HAZARDS

Flammable Hazards: Yes

EXPLOSION HAZARDS

Container explosion can occur under fire conditions. In advanced or massive fires the area should be evacuated and the fire should be fought from a remote explosion-resistant location.

EXPLOSION DATA

Dust Potential: This material, like most materials in powder form, is capable of creating a dust explosion.

FLASH POINT

N/A

AUTOIGNITION TEMP

N/A

FLAMMABILITY

N/A

EXTINGUISHING MEDIA

Suitable: Sand or dry powder type agents specially designed for metal powder fires.

Unsuitable: Do not use water.

FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Specific Hazard(s): Flammable solid. Emits toxic fumes under fire conditions.

6 Accidental release measures

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area. Shut off all sources of ignition.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

7 Handling and storage

HANDLING

User Exposure: Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

STORAGE

Suitable: Keep tightly closed. Keep away from heat, sparks, and open flame. Store under nitrogen.

SPECIAL REQUIREMENTS

Air sensitive.

8 Exposure controls and personal protection

ENGINEERING CONTROLS

Safety shower and eye bath. Use nonsparking tools.
Mechanical exhaust required.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator.

Hand: Compatible chemical-resistant gloves.

Eye: Chemical safety goggles.

GENERAL HYGIENE MEASURES

Wash thoroughly after handling. Wash contaminated clothing before reuse.

9 Physical and chemical properties:

Appearance Physical State: Solid

Form: Powder

Molecular Weight 10.81 AMU

pH N/A

BP/BP Range N/A

MP/MP Range N/A

Freezing Point N/A
Vapor Pressure N/A
Vapor Density N/A
Saturated Vapor Conc. N/A
Bulk Density N/A
Odor Threshold N/A
Volatile% N/A
VOC Content N/A
Water Content N/A
Solvent Content N/A
Evaporation Rate N/A
Viscosity N/A
Surface Tension N/A
Partition Coefficient N/A
Decomposition Temp. N/A
Flash Point N/A
Explosion Limits N/A
Flammability N/A
Autoignition Temp N/A
Refractive Index N/A
Optical Rotation N/A
Miscellaneous Data N/A
Solubility N/A

10 Stability and reactivity

STABILITY

Stable: Stable.

Materials to Avoid: Strong oxidizing agents, Strong acids, Halogens, Ammonia.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Boron oxides.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

11 Toxicological information

ROUTE OF EXPOSURE

Skin Contact: May cause skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: May cause eye irritation.

Inhalation: Material may be irritating to mucous membranes and upper respiratory tract. May be harmful if inhaled.

Ingestion: Harmful if swallowed.

TARGET ORGAN(S) OR SYSTEM(S)

Central nervous system. Kidneys.

SIGNS AND SYMPTOMS OF EXPOSURE

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

CONDITIONS AGGRAVATED BY EXPOSURE

May cause nervous system disturbances.

TOXICITY DATA

Oral
Rat
650 mg/kg
LD50

Intraperitoneal
Rat
7 GM/KG
LD50

Oral
Mouse
560 mg/kg
LD50

Intraperitoneal
Mouse
11 GM/KG
LD50

Oral
Dog
310 mg/kg
LD50

Oral
Cat
250 mg/kg
LD50

Oral
Rabbit
310 mg/kg
LD50

Oral
Guinea pig
310 mg/kg
LD50

Oral
Mammal
300 mg/kg
LD50

12 Ecological information:

ACUTE ECOTOXICITY TESTS

Test Type: LC0 Fish
Species: Brachydanio rerio
Time: 96 h
Value: > 1 mg/l

Test Type: EC0 Daphnia
Species: Daphnia magna
Time: 48 h
Value: > 1 mg/l

Test Type: IC0 Algae
Value: > 1 mg/l

13 Disposal considerations

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION
Material in the elemental state should be recovered for reuse or recycling. Observe all federal, state, and local environmental regulations.

14 Transport information

DOT

Proper Shipping Name: Flammable solid, inorganic, n.o.s.
UN#: 3178
Class: 4.1
Packing Group: Packing Group II
Hazard Label: Flammable solid
PIH: Not PIH

IATA

Proper Shipping Name: Flammable solid, inorganic, n.o.s.
IATA UN Number: 3178
Hazard Class: 4.1
Packing Group: II

15 Regulations

EU ADDITIONAL CLASSIFICATION

Symbol of Danger: F-Xn

Indication of Danger: Highly Flammable. Harmful.

R: 11-22

Risk Statements: Highly flammable. Harmful if swallowed.

S: 16

Safety Statements: Keep away from sources of ignition - no smoking.

US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Flammable (USA) Highly Flammable (EU).

Risk Statements: Harmful if swallowed.

Safety Statements: Keep away from sources of ignition - no smoking.

US Statements: Target organ(s): Central nervous system. Kidneys.

UNITED STATES REGULATORY INFORMATION

SARA LISTED: No

TSCA INVENTORY ITEM: Yes

CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: Yes

NDSL: No

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.